



# MARYLAND DEPARTMENT OF THE ENVIRONMENT

1800 Washington Boulevard, Suite 605 • Baltimore MD 21230-1719  
410-537-3000 • 1-800-633-6101

Martin O'Malley  
Governor

Shari T. Wilson  
Secretary

Anthony G. Brown  
Lieutenant Governor


Robert M. Summers, Ph.D.  
Deputy Secretary

December 12, 2008

CERTIFIED MAIL

Return Receipt Requested

Mr. Peter R. Karasik  
Department of Environmental Protection  
16101 Frederick Road  
Derwood MD 20855



Dear Mr. Karasik:

This is in reference to landfill gas monitoring at the Gude Sanitary Landfill. The Maryland Department of the Environment (the "Department") has reviewed your letter dated November 14, 2008, and requests that you submit a gas monitoring plan for the Gude Landfill within 60 days of receipt of this letter. The monitoring plan should include, at a minimum, quarterly monitoring of probes around the property boundary of the landfill and an assessment of the concentration of methane gas at the property boundary. In accordance with Code of Maryland Regulation 26.04.07.03B(9), the Gude Landfill cannot be operated in such a manner that the concentration of explosive gases generated by the landfill exceeds 25 percent of the lower explosive limits for the gases in facility structures, excluding gas control or recovery system components, and the lower explosive limit for the gases at the property boundary.

The Department appreciates your cooperation in this important matter. If there are any questions regarding this matter, please contact Mr. Andrew Grenzer, Project Manager, at (410) 537-3318.

Sincerely,

Martha Hynson, Chief  
Landfill Operations Division

MH:EC:sm

cc: ✓ Mr. Stephen Lezinski  
Mr. Horacio Tablada  
Mr. James Wagner

